O.M.B. NO. 3067-0077 Expires May 31, 1996

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

rENTION: Use of this certificate does not provide a waiver of the flood insurance purchase recuprovide elevation information necessary to ensure compilance with applicable community floodple determine the proper insurance premium rate, and/or to support a request for a Letter of Map Aminetructions for completing this form can be found on the follow

ent. This form is used only to nagement ordinances, to ent or Revision (LOMA or LOMR).

SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME	0 1				POLICY NUMBER
STREET ADDRESS (Including Ap	The second secon	lumber) OR P.O. F	ROUTE AND BOX NUMBER		COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and I	Block Numbers, etc.)	sode.	ACRES ESTATE		
CITY Poplen	, <u> </u>	77 100 020	TERBY DULATE	6A	ZIP CODE
	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFOE STION	
Provide the following from the	ne proper FIRM (See	instructions):		- The state of the	2.7 UPSI (U)
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRMZONE	6. BASE FLOOD ELEVATION (In AO Zones, use depth)
130030	20	<u>_</u>	May 19,1987	AE	13.0
. For Zones A or V, where	no BFE is provided o	n the FIRM, an	ase Flood Elevations (BFE and the community has este FIRM datum-see Section	iblished a BFE fo	Other (describe on back) r this building site, indicate
	SECTION	NC BUILDI	NG ELEVATION INFORM	IATIC	
(c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The fone) the highest grade level) elevated in accommodicate the elevation dat under Comments on Pag	BFE). The floor used the highest grade ad loor used as the refer adjacent to the build refance with the commum system used in dee 2). (NOTE: If the e	I as the reference jacent to the beence level from the ing. If no flood in it is to be it	uliding. In the selected diagram is I depth number is available ain management ordinance above reference level ele In used in measuring the e	d di/ am is feet ab e, is the building's pe? Yes vations;	
equation under Commen	ts on Page 2.)		ns to the datum system us		and show the conversion
case this certificate will or will be required once cons	ition is based on: A filon drawings is only the pull of the but of	actual constru valid If the bulk Iding during th	oction oonstruction dr ding does not yet have the e course of construction.	aw gs refirence level f Appst-constructi	on Elevation Certificate
3. The elevation of the lowe Section B, Item 7).	st grade immediately	adjacent to the	e building is:	.bi feet NGVD (or other FIRM datum-see
)	88	CTION D CO	MMUNITY INFORMATIO	N	1100
1. If the community official r is not the "lowest floor" at floor" as defined by the o 2. Date of the start of constr	defined in the commodinance is:	iunity's floodpl	ain management ordinand IGVD (or other FIRM datu	e, the elevation o	of the building's "lowest


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available, I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME FERRY M. COIEMAN	LICENSE NUMBER (or Affix Seal) GA R.L.S. No. 2486					
and Surveyor	EMC Engineering Services, Inc.					
23 East Charlton Street	Savannah GA ^{STATE} 3140Î					
SIGNATURE MC	12/2/ 195 (912) 232-6533					
MMENT9:						
¥						



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

*	